

TDH40

thermo

hygiene doors




Thermo is a company dedicated to the production of sliding and personnel doors for internal and external applications requiring high standards of hygiene and temperature control.

● ● ► FLUSH HYGIENE DOORS

These doors have been designed specifically to compliment the existing Thermo suite of doors. The flush leaf detail combined with a versatile frame detail is designed

to be fitted to masonry, stud and insulated panel walls. This door type suits a wide range of locations from hygiene, pharmaceutical and clean rooms areas to commercial

and industrial premises.



● ● ▶ SPECIFICATIONS

DOOR LEAF

- Flush leaf
- 43mm door thickness
- Insulated foam core
- Flush fitting

FINISH

- Stainless steel with circular-polished finish, matt brush finish and weave-embossed
- Platisol HP200 or PVF2 in a variety of colours
- Food Safe laminated steel finish, 120my thickness

FRAME

- Rebated two part frame for easy installation in panel, stud or blockwork wall
- Tear gaskets are fitted to insure a smooth close along with excellent air and hygiene seals
- Available in stainless steel or powder coated finish
- No visible fixing front or back
- Off standard sizes available on request
- Wall anchors are provided for installation in masonry

FITTINGS

- The door is fitted with stainless steel lever handle
- Anti bacterial plastic handles and roses can be specified where required
- Locking by Euro profile cylinder as standard
- Stainless steel hinges
- Door can be fitted with a pull handle, push plate and door closer
- Doors can also be fitted with panic bar with or without external access

OPTIONS

- Double leaf version with 'one active' or 'both active'
- Off Standard frame designs to fit all possible situations
- Inward opening or double swing version
- Auto Drop gasket to form 4-sided seal
- Kick Plates
- Square or circular Vision Panel in stainless steel or powder coated finish
- Alarm triggered closing

SIZES

- Our standard size of 850 x 2075mm C/O to suit a standard masonry ope size of 910 x 2110mm
- Off standard sizes available on request

(Technical data subject to change)



thermo Ltd, Unit 7, Little Island Industrial Estate, Cork, Ireland
T: +353 (0) 21 4354504 F: +353 (0) 21 4354316 www.thermo.ie info@thermo.ie